

BelloLite[®]

— Styled with Innovation —



LED
RECHARGEABLE CORDLESS LAMPS,
FURNITURE & CANDLES

BelloLite®



BelloLite, a brand synonymous with quality, is a leading company that specializes in the manufacturing of cordless lamps and lights for commercial, private, hospitality, home, indoor and outdoor environments. Fueled by a passion for innovation and a desire to meet the needs of its valued customers, Bellolite offers high quality, affordable cordless lamps combining the latest technology with stylish design.

The team behind Bellolite brings together over 7 years of cordless lamp technology experience and 20 years in product development. It is dedicated to ensure that the brand continues to provide innovative products and stays at the forefront of the lighting industry to meet its customer's ever evolving needs.

The Product

BelloLite offers an extensive range of cordless lamps with an in-built candle function that promises to brighten up your home or business. They are available in a wide array of designs, shapes, and colors; with these cordless lamps, you can experience the best leap forward in lighting technology.

Why Choose BelloLite?

- It is an economical choice for eco-friendly, rechargeable lighting.
- These cordless lamps have an in-built candle function which serves as a hassle-free resort to an elegant dinner, for instance.
- While this cordless lamp ensures to brighten any dinner table, it can also be hung in a camping tent.
- Great for outdoor settings, as it provides sufficient light for a boat trip or a moonlight dinner on the beach or rooftop.
- BelloLite's cordless lamp can stick on any metal surface as it has a magnet placed inside the lamp.



BelloLite



CLASSIC, EXCLUSIVE & SUPREME
High-End Cordless Table Lamps

CUSTOMIZE YOUR TABLE LAMP

BelloLite®

STAGE 1

Choose Your LED Module



CLASSIC

Replaceable Rechargeable
Li-ion Battery

BL8811



EXCLUSIVE

Replaceable
Rechargeable Li-ion Battery
with RF Remote

BL8811



SUPREME

Non Replaceable
Rechargeable Li-ion Battery
with IR Remote & Induction Charge

BL80006

NOTE: The shade of CLASSIC & EXCLUSIVE can not be used with SUPREME as the ring on the bottom is different.

STAGE 2

Choose Your Shades



QUARTZ
BL3062



ARTIS
BL4571



ARTIS-W
BL7571



KRYSTAL
BL4540



MOSAIC-SQ
BL7526



SILVER
BL3116



TITANIUM
BL1573



ZINC
BL1467



DOTS
BL1474



RHODIUM
BL1481



METALLICA
BL3802



ZIGZAC
BL7126



PEARL
BL3079



PLUTO
BL2538



ARORA
BL3086



DESTINY
BL3826



MOSAIC
BL4564



AURUM
BL3819



AURUM-W
BL9014



MARBLEX
BL4577



AMBER
BL3833




SPINEL
BL3055



KRACKLE
BL4682



CERES
BL4964



NOTE: Colour of the shade may vary from the images shown above.
(Battery is not replaceable in CHROMIUM & CHROMIUM-C).

STAGE 3

Charging Options for Classic and Exclusive Table Lamps



STAGE 4

Light up and enjoy!

Shade Size & Material



Blown Glass



Blown Glass



Metal



Metal+ Plexi Glass



PC Plastic



Wood + Plexi Glass



Solid Aluminum + Plexi Glass




Aluminum + Acrylic Tube

Custom shades can be made according to customer's specification.



Attaching the Lamp Shade




Pull out the metal ring




Place the lamp in the shade as per the diagram keeping in mind the size of the tabs.



Push the lamp inwards



Rotate clockwise till it locks in place



Push back the metal ring into place.



Eco Friendly
Light Weight
Easy to Carry



Works 7.5-30 hours
per full charge



AAA or
Rechargeable Battery



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including warm white



7 steady colours with
2 brightness levels



Water Resistant
IP44

LIGHT SOURCE

1 Pc Unicolour 0.5W Warm White LED
1 Pc Multicolour 0.5W RGB LED

LIFE

+30000 hours

BATTERY SPECS

Replaceable Li-ion 3.7V 900mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

1.5 - 2 Hours

USAGE TIME

7.5 - 30 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F
Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 4.5V 500 mAh

RF REMOTE CONTROL DISTANCE (EXCLUSIVE ONLY)


5 - 8 Meters / 16.40 - 26.25 Feet

APPROVALS

CE FC RoHS Compliant Rainproof(IP44)

WARRANTY

1 Year



Please note that specifications are subject to change without prior notice.



Induction Charge



Auto Switch Off
2H, 4H & 8H



Rechargeable
Battery



Software Tamper
Lock



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including warm white



9 steady colours with
5 brightness levels



Water Resistant
IP45

LIGHT SOURCE

4 - 6 Pcs Unicolour Warm White LED
4 - 6 Pcs Multicolour RGB LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 1200mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

5 - 8 Hours

USAGE TIME

5.5 - 40 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F
Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 5V 1A
Induction Charge Base

INFRARED REMOTE CONTROL DISTANCE


3 Meters / 9.84 Feet

APPROVALS

CE FC RoHS Compliant Rainproof(IP45)

WARRANTY

1 Year



Please note that specifications are subject to change without prior notice.



Charging Options for Supreme Table Lamps



6 IN 1



12 IN 1



25 IN 1



40 IN 1

BelloLite®



TrendY

Mid-Range Cordless Table Lamps

BL80005

**QUARTZ-T****BL4729**7,5x7,5x13,5cm
(2,9x2,9x5,3")**AMBER-T****BL4712**7,5x7,5x13,5cm
(2,9x2,9x5,3")**XEON-T****BL4705**10x10x13,5cm
(3,9x3,9x5,3")**PLASMA20-T****BL4668**13,5x13,5x20cm
(5,3x5,3x7,9")**VIOLA-T****BL4651**10x10x15cm
(3,9x3,9x5,9")**NEOS-T****BL4644**10x10x15cm
(3,9x3,9x5,9")**JURU-T****BL4637**12x12x15cm
(4,7x4,7x5,9")**CUBIX10-T****BL7249**10x10x10cm
(3,9x3,9x3,9")**ZIRCA10-T****BL7232**12x12x10,5cm
(4,7x4,7x4,1")**ZIRCA15-T****BL7225**15x15x13,5cm
(5,9x5,9x5,3")**SAPHIR-T****BL0775**15x15x26,2cm
(5,9x5,9x10,3")**RUBY-T****BL4919**15x15x26,2cm
(5,9x5,9x10,3")**TITANIUM-T****BL1542**7,5x7,5x13,5cm
(2,9x2,9x5,3")**ZINC-T****BL1412**7,5x7,5x13,5cm
(2,9x2,9x5,3")**DOTS-T****BL1429**7,5x7,5x13,5cm
(2,9x2,9x5,3")**RHODIUM-T****BL1436**7,5x7,5x13,5cm
(2,9x2,9x5,3")**SILVER-T****BL1443**7,5x7,5x13,5cm
(2,9x2,9x5,3")**Charging Options for TRENDY Table Lamps**

A charging tray specially designed for charging 6 lamps using less space and 1 power plug

6 IN 1

A charging tray specially designed for charging 10 lamps using less space and 1 power plug

10 IN 1

A charging tray specially designed for charging 25 lamps using less space and 1 power plug

25 IN 1

A charging tray specially designed for charging 40 lamps using less space and 1 power plug

40 IN 1

SAPHIR-T & RUBY-T cannot be charged on the charging trays. These can be charged using the 6 in 1 charger(Optional).

The quantity of lamps that can be charged on the charging tray will change according to the size of the lamp.



Eco Friendly
Light Weight
Easy to Carry



Works 5.5-40 hours
per full charge



Rechargeable
Battery



Software Tamper
Lock



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including warm white



9 steady colours with
5 brightness levels



Water Resistant
IP45

LIGHT SOURCE

4 - 6 Pcs Unicolour Warm White LED
4 - 6 Pcs Multicolour RGB LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 1200mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

2 - 3 Hours

USAGE TIME

5.5 - 40 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F
Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 5V 1A

RF REMOTE CONTROL DISTANCE


3 Meters / 9.84 Feet

APPROVALS

CE FCC RoHS Compliant Rainproof(IP45)

WARRANTY

1 Year



Please note that specifications are subject to change without prior notice.

BelloLite®



Spirit

**Economical LED
Cordless Table Lamps**

BL80007



AMBER-S



QUARTZ-S



XEON-S



PEARL-S



KRYSTAL-S



SILVER-S



FLINT-S



CHROMEL-S



FERRUM-S

These 3 lamps cannot be charged on the charging tray.

Stackable Charging Options for Spirit Lamps



6 IN 1



12 IN 1



18 IN 1

FLINT-SW, CHROMEL-SRG, CHROMEL-SW & FERRUM-S cannot be charged on the charging trays.

Commercial & Home use: Ideal for Restaurants, Night Clubs, Discos, Bars, KTV, Outdoor & Beach Restaurants.



Eco Friendly

LIGHT SOURCE

4 Pcs Unicolour Warm White LED
4 Pcs Multicolour RGB LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 1200mAh
Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

1.5 - 2 Hours



Works 10 hours
per full charge



Rechargeable
Battery

USAGE TIME

opto 10 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F
Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: USB Cable
(Connect the provided USB cable to
any 5V USB port or USB adaptor)

APPROVALS

CE RoHS
compliant

WARRANTY

1 Year



Light Weight
Easy to Carry

Please note that specifications are subject to change without prior notice.

FLAME



Economical LED Cordless Table Lamps

BelloLite®

FLAME

3 EFFECTS



FLAME



CANDLE



STEADY LIGHT



TITANIUM-FL
BL1542
7.5x7.5x13.5cm
(2.9x2.9x5.3")



ZINC-FL
BL1412
7.5x7.5x13.5cm
(2.9x2.9x5.3")



DOTS-FL
BL1429
7.5x7.5x13.5cm
(2.9x2.9x5.3")



RHODIUM-FL
BL1436
7.5x7.5x13.5cm
(2.9x2.9x5.3")



QUARTZ-FL
BL4729
7.5x7.5x13.5cm
(2.9x2.9x5.3")



AMBER-FL
BL4712
7.5x7.5x13.5cm
(2.9x2.9x5.3")



XEON-FL
BL4705
10x10x13.5cm
(3.9x3.9x5.3")



SILVER-FL
BL1443
7.5x7.5x13.5cm
(2.9x2.9x5.3")



SAPHIR-T
BL0775
15x15x26.2cm
(5.9x5.9x10.3")



RUBY-T
BL4919
15x15x26.2cm
(5.9x5.9x10.3")

Commercial & Home use: Ideal for Restaurants, Night Clubs, Discos, Bars, KTV, Outdoor & Beach Restaurants.



Eco Friendly

LIGHT SOURCE

96 Pcs Unicolour Warm

White LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V

1200mAh

Rechargeable Battery

+500 Full Charge Cycles

CHARGING TIME

1.5 - 2 Hours

USAGE TIME

8-13 Hours



Works 8-13 hours
per full charge



Rechargeable
Battery

USAGE TEMPERATURE

Charging: 0°C to 30°C / 32°F - 86°F
Storage: -10°C to 25°C / 14°F - 77°F

CHARGER

Type: USB Cable
(Connect the provided USB cable to
any 5V USB port or USB adaptor)

APPROVALS

CE RoHS
Compliant

WARRANTY

1 Year

Stackable Charging Options
for Flame Lamps



6 IN 1



12 IN 1



18 IN 1

Please note that specifications are subject to change without prior notice.

BelloLite®



TOUCH

**Economical LED
Cordless Table Lamps**

**GARNET**

BL1405
12,5x12,5x51cm
(4,9x4,9x20")

**STANNUM-CU**

BL1306
11,5x11,5x29cm
(4,5x4,5x11,4")

**STANNUM-BL**

BL1306
11,5x11,5x29cm
(4,5x4,5x11,4")

**TUNGSTEN-BL**

BL1313
12x12x23cm
(4,7x4,7x9,1")

**TUNGSTEN-CU**

BL1313
12x12x23cm
(4,7x4,7x9,1")

**DUET-S**

BL1399
10,4x10,4x25cm
(4,1x4,1x9,8")

The Touch Lamps & Shades are Also Available in Other Colours and Finishes.

Touch Activated Switch

With each gentle touch

- 1st Touch = ON 10% Brightness
- 2nd Touch = 50% Brightness
- 3rd Touch = 100% Brightness
- 4th Touch = Switch OFF

Great for a Night Light, Reading Light, Display Light, Spot Light, Buffet Light or a Table Lamp.



3 Way Touch
Sensor Switch



3 Brightness
Levels



5-78 Hours of Light
From each full charge



Rechargeable
Battery



Water Resistant
IP44



Stable Aluminium
& Metal Structuring

LIGHT SOURCE

GARNET 6 x 0.5W LED

DUET 2 x 1W LED

THERS 6 x 0.5W LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-polymer Rechargeable Battery

+500 Full Charge Cycles

GARNET 3.7V 4000mAh

DUET 3.7V 2400mAh

OTHERS 3.7V 2400-2600mAh

CHARGING TIME

GARNET 4 - 5 Hours

DUET 3 - 4 Hours

OTHERS 3 - 4 Hours

USAGE TIME

GARNET 8.5 - 78 Hours (If USB charging output not used)

DUET 5 - 50 Hours

OTHERS 7.5 - 50 Hours

USAGE TEMPERATURE

Charging: 0°C to 30°C / 32°F - 86°F

Storage: -10°C to 25°C / 14°F - 77°F

USB CHARGING OUTPUT

Output: 5V 1A (GARNET ONLY)

CHARGER

Type: Switch-Mode Power Supply

Input: 100V-240V 50/60Hz

Output: DC 4.5V 1A

APPROVALS

CE RoHS

compliant
WARRANTY

1 Year

Please note that specifications are subject to change without prior notice.

The image is a vertical advertisement. The top half features a dark, nighttime scene of a body of water. In the foreground, a large, glowing green egg-shaped light floats on the water, its reflection visible below. To its left, a smaller, glowing blue circular light also floats. In the background, a rectangular glowing orange light is visible. The water reflects these lights and the blurred lights of a city skyline in the distance. The BelloLite logo is in the top right corner. The bottom half of the image is a solid black rectangle containing white text.

BelloLite®

**CORDLESS & RECHARGEABLE
LED WATERPROOF LIGHTS**

**NEOS-F****BL1702**10x10x15cm
(3.9x3.9x5.9")**VIOLA-F****BL1689**10x10x15cm
(3.9x3.9x5.9")**OVEX14-F****BL1610**20x20x14cm
(7.9x7.9x5.5")**CUBIX10-F****BL1665**10x10x10cm
(3.9x3.9x3.9")**PLASMA20-F****BL1603**13.5x13.5x20cm
(5.3x5.3x7.9")**JURU-F****BL1566**12x12x15cm
(4.7x4.7x5.9")**ZIRCA15-F****BL1641**15x15x15cm
(5.9x5.9x5.9")

Charging Options for Fantasia Lights

**6 IN 1****25 IN 1**

The quantity of lamps that can be charged on the charging tray will change according to the size of the lamp.



Induction Charge



Auto Switch Off
2H, 4H & 8H



Rechargeable
Battery



Software Tamper
Lock



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including warm white



9 steady colours with
5 brightness levels



Water Resistant
IP66

LIGHT SOURCE

4 - 6 Pcs Unicolour Warm White LED
4 - 6 Pcs Multicolour RGB LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 1200mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

5 - 8 Hours

USAGE TIME

5.5 - 40 Hours

USAGE TEMPERATURE

Charging: 0°C to 30°C / 32°F - 86°F
Storage: -10°C to 25°C / 14°F - 77°F

CHARGER

Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 5V 1A
Induction Charge Base

RF REMOTE CONTROL DISTANCE


3 Meters / 9.84 Feet

APPROVALS


CE FCC RoHS Compliant IP66

WARRANTY

1 Year



Please note that specifications are subject to change without prior notice.



CUBIX20
BL89446
20x20x20cm
(7.9x7.9x7.9")

CUBIX30
BL83840
30x30x31cm
(11.8x11.8x12.2")

CUBIX40
BL83857
40x40x40cm
(15.7x15.7x15.7")

CUBIX50
BL93450
50x50x51cm
(19.7x19.7x20.1")

CUBIX60
BL1535
60x60x60cm
(23.6x23.6x23.6")



OVEX20
BL83796
35x35x20cm
(13.8x13.8x7.87")

OVEX27
BL83789
35x35x27cm
(13.7x13.7x10.62")

ZIRCA20
BL89477
20x20x20cm
(7.9x7.9x7.9")

ZIRCA25
BL83758
25x25x25cm
(9.8x9.8x9.8")

ZIRCA30
BL89453
30x30x30cm
(11.8x11.8x11.8")

ZIRCA35
BL92477
35x35x35cm
(13.8x13.8x13.8")

ZIRCA40
BL83765
40x40x40cm
(15.7x15.7x15.7")



ZIRCA50
BL86353
50x50x50cm
(19.7x19.7x19.7")

ZIRCA60
BL93467
60x60x60cm
(23.6x23.6x23.6")

ZIRCA100
BL1559
100x100x100cm
(39.3x39.3x39.3")

ZYLO
BL92712
16x16x36cm
(6.3x6.3x14.2")

PLASMA20
BL89408
13.5x13.5x20cm
(5.3x5.3x7.9")



PLASMA22
BL9038
15x15x22cm
(5.9x5.9x8.7")

SIGMA
BL93580
11x11x20cm
(4.3x4.3x7.9")

PLASMA
BL83772
29x29x30cm
(11.4x11.4x11.8")

FLAME
BL93689
11x11x21cm
(4.3x4.3x8.2")

COX
BL93634
19x19x24cm
(7.5x7.5x9.5")

CELLO
BL93429
16x16x12cm
(6.3x6.3x4.7")

RHOMBA
BL93412
16x16x24cm
(6.3x6.3x9.5")

LED WATERPROOF LIGHTS

BelloLite®



Eco Friendly



Works 5-40 hours
per full charge



Rechargeable
Battery



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including white



9 steady colours with
5 brightness levels



Select a Steady Color out
of Thousands of Colors

LIGHT SOURCE

8 - 24 Pcs Unicolour White LED
8 - 24 Pcs Multicolour RGB LED

LED LIFE

+30000 hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 2400mAh/2600mAh Rechargeable
Battery+500 Full Charge Cycles

CHARGING TIME

5 - 8 Hours

USAGE TIME

5 - 40 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F
Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 5V 1A
Induction Charge Base

RF REMOTE CONTROL DISTANCE


3 Meters / 9.84 Feet

APPROVALS

CE FCC RoHS Compliant IP66

WARRANTY

1 Year



Please note that specifications are subject to change without prior notice.

The BelloLite logo is positioned in the upper left corner of the image. It features the brand name in a white, sans-serif font, with a small registered trademark symbol (®) to the upper right of the 'e'.

BelloLite®

The main image shows a large, illuminated geodesic dome structure. Inside, several tall, conical LED light fixtures are arranged on a dark floor. These fixtures are illuminated with various colors: blue, yellow, green, and purple. Some of the fixtures have small, round glass tables placed on top of them. The dome's interior is lit with warm orange and yellow light, creating a vibrant atmosphere.

**CORDLESS & RECHARGEABLE
LED FURNITURE**



TOPAZ
BL7195
60x60x100cm
(23.6x23.6x39.4")



HURRICANE
BL9045
58x58x110cm
(22.8x22.8x43.3")



FIRE
LED COCKTAIL TABLE
BL86360
45x45x110cm
(17.7x17.7x43.3")



CYCLONE
BL92613
60x60x110cm
(23.6x23.6x43.3")



IGLOO SUPREME
BL92705
80x80x116cm
(31.5x31.5x45.7")



SUN
LOW LED ROUND TABLE60
BL93481
60x60x19cm
(23.6x23.6x7.5")



SUN
LOW LED ROUND TABLE66
BL86377
66x66x22cm
(26x26x8.6")



SUN
LOW LED ROUND TABLE 80
BL93504
80x80x22cm
(31.5x31.5x8.6")



SUN80 METAL56
BL93672
80x80x56cm
(31.5x31.5x22")



SUN60 METAL73
BL93665
60x80x106cm
(23.6x23.6x41.7")



SQUARE60 METAL86
BL93658
60x60x86cm
(23.6x23.6x33.8")



STARX
BL92569
78x95x71cm
(30.7x37.4x28")



BREEZE
BL9151
60X60X105cm
(23.6X23.6X41.3")



TUBIX
BL92644
25X25X71cm
(9.8X9.8X28")



BOXT55
BL86391
55.5x30x36cm
(21.9x11.8x14.2")



MOON
LED ROUND TABLE
BL86384
66x66x42cm
(26x26x16.5")



QUAD
BL92552
75x75x38cm
(29.5x29.5x15")



FABIA
BL92682
38x40x84cm
(14.6x15.7x33")



BELLORA
BL92675
50x48x100cm
(19.7x18.9x39.4")



OCTAVIA
BL9076
49x56x110cm
(19.3x22x43.3")



CABOS
BL92651
61x61x81cm
(24x24.8x31.9")



GARVEN
BL93474
60x62x80cm
(23.6x24.4x31.5")



STOOLZ
BL93559
56x56x47cm
(22x22x18.5")



SOLICO
BL89484
66x66x62cm
(26x26x24")



TARNO
BL92576
58.5x83x64cm
(23x32.7x25.2")



GARDOS
BL92620
65x55x63cm
(25.6x21.6x24.8")



RIPPLX
BL9113
88X63X76cm
(34.6X25X30")



PILLARE
BL92668
40x40x181cm
(15.7x15.7x71.3")



BARZAR
BL92583
114.5x81x110cm
(45x32x43.3")



BARRINGER
BL92606
90x80x110cm
(35x31.5x43.3")



BARMEN
BL92590
90x80x110cm
(35x31.5x43.3")



BELLOBAR
BL9137
160X65X106cm
(63X25.6X41.7")



BARZ
BL9144
110X46X106cm
(43.3X18.1X41.7")



SHELF
BL9090
120X40X40cm
(47.2X15.7X15.7")



CEAT
BL7201
90X80X72cm
(35.4X31.5X28.3")



CURVE
BL97502
120X49X40cm
(47.2X19.3X15.7")



SOFAZ
BL7171
176X76X76cm
(69.3X29.9X29.9")



COUCH
BL7218
97X90X92cm
(38X35.4X36.2")



RIPPLE
BL9120
110X65X40cm
(43.3X25.6X15.7")



TABLE
BL7188
120X60X47cm
(47.2X23.6X18.5")



COFFEE TABLE
BL9106
120X66X48cm
(47.2X26X18.9")



TORNADO DUO
BL9083
180X70X80cm
(70.9X27.6X31.5")



TORNADO 50
BL97533
70X70X50cm
(27.6X27.6X19.7")



TORNADO 80
BL97540
70X70X80cm
(27.6X27.6X31.5")



TORNADO 120
BL97557
70X70X120cm
(27.6X27.6X47.2")



COVEX
BL92699
40x40x40cm
(15.7x15.7x15.7")



SHORT LAMP
BL10690
45X45X103cm
(17.7X17.7X40.6")



MEDIUM LAMP
BL10706
45X45X153cm
(17.7X17.7X60.2")



TALL LAMP
BL10713
45X45X183cm
(17.7X17.7X72")

LED FLOWER VASES

BelloLite®



NOVA
BL89507
39x39x40cm
(15.7x15.7x16.1")



PRISM
BL89491
40x40x80cm
(12.6x12.6x29.1")



TANTRA
BL93535
18x18x50cm
(7x7x19.7")



STYLO
BL93528
16x16x50cm
(6.3x6.3x19.7")



PLANTER TALL
BL9168
48X48X95cm
(18.9X18.9X37.4")



FLOWER POT
BL9175
38X26X40cm
(15X10.2X15.7")



ROUND PLANTER
BL9182
50X50X72cm
(19.7X19.7X28.3")

Some of them can also be used as ice bucket & wine coolers...

LED BAR PRODUCTS



IGLOO SMALL
BL93696
25x21x27cm
(9.8x8.3x10.6")



COOLERZ
BL86407
19.8x19.8x29.6cm
(7.8x7.8x11.6")



IGLOO
BL86414
37X32X27cm
(14.5x12.6x10.6")



IGLOO MAX
BL93641
30x28x35cm
(11.8x11x13.8")



IGLOO DELUXE
BL92637
38x38x115cm
(15x15x45.3")



Eco Friendly

Works 5.5-50 hours
per full chargeRechargeable
BatteryColour Changing
Fusion SettingSwitch between Lamp
& Candle ModeCandle Effect in
7 colours including
warm white9 steady colours with
5 brightness levelsSelect a Steady Color out
of Thousands of ColorsAuto Switch Off
2H, 4H & 8H

Tunable White

LIGHT SOURCE

13 Pcs yellow LED
13 Pcs White LED
12-23 Pcs Multicolour RGB LED

LED LIFE

+30000 Hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V 2400/4400mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

3 - 6 Hours

USAGE TIME

5.5 - 50 Hours

USAGE TEMPERATURE

Charging: 0°C to 50°C / 32°F - 122°F
Storage: -10°C to 25°C / 14°F - 77°F

CHARGER


Type: Switch-Mode Power Supply
Input: 100V-240V 50/60Hz
Output: DC 5V 1A

INFRARED REMOTE CONTROL DISTANCE

3 Meters / 9.84 Feet

APPROVALS**WARRANTY**

1 Year



Please note that specifications are subject to change without prior notice.

A photograph of a tropical restaurant at dusk. The restaurant has a thatched roof and large windows overlooking the ocean. The interior is warmly lit with various types of candles, including large hanging ones and smaller table candles. The outdoor deck is also lit with small candles along the edge. The sky is a deep blue, and the ocean is visible in the background.

BelloLite®

BATTERY OPERATED & RECHARGEABLE LED CANDLES

Indulge in our world of LED candles and create the perfect ambience for a romantic dinner for two or a party for many. You will find that our flickering candles brilliantly imitate the natural flicker of a flame; in addition, they are safer as they are flameless. We carry a complete range of LED candles from small tea lights to large wax candles that come in two options: battery-operated and rechargeable. In addition to being a great table decoration, they provide a degree of safety that a traditional candle simply cannot match. Our LED candles are safe to use around children, pets, or in environments prone to fire danger.

3 LED CANDLES



COLORS AVAILABLE



WHITE



YELLOW



RED

Candle Size:
38mm x 38mm x 42mm
(1.49" x 1.49" x 1.65")

Candle Holder Size:
59mm x 59mm x 103mm
(2.32" x 2.32" x 4.05")

- Flickering affect
- No flame, no wax
- Suitable for all weathers
- Hassle-free maintenance
- LED Life: 30000 hours
- Replaceable battery
- CR2032 battery Included
- High Quality Color Glass shades

3 IN 1 BATTERY OPERATED WAX PILLAR CANDLES

Made from ABS & real wax, our three ivory wax pillars that give off a golden amber colour are ideal for dining room table centerpieces or a holiday display.

The tried and tested LED system provides reliability, quality and durability, all while providing that safe flickering ambience.

Main Features:

- Real wax finish,
- On/Off switch.
- Uses 3 x AAA Batteries (Not Included)
- Don't have any scent.



**BL3AAA
75100YIR**
7.5x7.5x10cm
(3x3x4")



**BL3AAA
75127YIR**
7.5x7.5x12.5cm
(3x3x5")



**BL3AAA
75150YIR**
7.5x7.5x15cm
(3x3x6")

3 IN 1 RGB BATTERY OPERATED WAX CANDLES WITH IR REMOTE CONTROL

The Flameless set lets you relax, unwind and brighten up your living space without having to spend a lot. You can switch remotely between 12 different colours, depending on your need or your mood.

Amber coloured LED flame

Main Features:

- Charge using the USB Cable provided with any USB adaptor.
- Real wax ivory finish.
- IR Remote Enabled – all 3 can be controlled by a remote control. (Uses 1XCR2025 battery included)
- Flickering or steady light mode.
- Uses 3 x AAA Batteries (Not Included).
- Don't have any scent.



**BL3AAA
75100RGBIR**
7.5x7.5x10cm
(3x3x4")



**BL3AAA
75127RGBIR**
7.5x7.5x12.5cm
(3x3x5")



**BL3AAA
75150RGBIR**
7.5x7.5x15cm
(3x3x6")

ECONOMY LINE

A simple rechargeable set available in 4-in-1 and 12-in-1 options. An easy to use and cost effective LED candle system that imitates a real, flickering candle and creates a cozy environment. A safe alternative for home and outdoor use, it can be used as a decorative light anywhere without the risk of fire as the candles are flameless.



4 in 1 set

BLNIMHEC004

SIZE

Candle

40mm x 40mm x 46mm

(1.57" x 1.57" x 1.81")

Plastic Candle Holder

45mm x 45mm x 100mm

(1.77" x 1.77" x 3.93")

4 IN 1 Charging Base


106mm x 106mm x 31mm

(4.17" x 4.17" x 1.22")

12 IN 1 Charging Base

285mm x 98mm x 31mm

(11.22" x 3.85" x 1.22")



12 in 1 set

BLNIMHEC012



- Material: ABS Plastic with Silver Paint
- Battery: 3.6V 80mAh NI-MH Cell
- Charging Time: 6 ~ 8 hours

- Usage Time: Up to 10 Hours
- 1Pc Rechargeable Base included
- 1Pc Charger included

- Packing: 4 in 1 Set: 1 Set/White Box, 24 Sets/ Carton
- 12 in 1 Set: 1 Set/White Box, 15 Sets/ Carton



1 in 1 set



3 in 1 set

- Flickering affect
- No flame, no wax
- Suitable for all weathers
- Hassle-free maintenance
- LED Life: 30000 hours
- USB cable included for charging
- Battery: 3.7V/120mAh

3 IN 1 RECHARGEABLE WAX PILLAR CANDLE

Made from ABS & real wax, our three rechargeable ivory wax pillars that give off a golden amber colour are ideal for dining room table centerpieces or a holiday display.

Our tried and tested LED system provides reliability, quality and durability along with the safe flickering ambience as they are flameless.

Main Features:

- Charge using the USB Cable provided with any USB adaptor.
- Real wax ivory finish.
- IR Remote Enabled Optional – all 3 can be controlled by a remote control. (Uses 1XCR2025 battery included)
- On/Off switch.
- LED charge indicator built in to each candle.
- Don't have any scent.
- Lithium Ion – long life battery.
- 3 Hour charge - 12 hour run time.
- 500+ Charge.
- Battery: 3.7V/300mAh.



**BLLI75
100IR**
7.5x7.5x10cm
(3x3x4")

**BLLI75
127IR**
7.5x7.5x12.5cm
(3x3x5")

**BLLI75
150IR**
7.5x7.5x15cm
(3x3x6")

ELITE RANGE

A great top of the line rechargeable candle sets available in 4 in 1 and 12 in 1.

An easy to use and cost effective rechargeable candle system with Infrared remote control.



4 in 1 set

**BLLI04YWHIR
BLLI04YALIR**



12 in 1 set

**BLLI12YWHIR
BLLI12YALIR**



**PLASTIC
WHIR**



**ALUMINIUM
ALIR**



Rechargeable
Battery



Eco-friendly



Cost effective



Remote control
(Optional)



Flickering



Steady non
flicker light



Auto Switch Off
2H, 4H, 6H & 8H

LIGHT SOURCE

1 Pc. Amber Long Life LED

LED LIFE

+30000 Hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V/300mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

4 in 1 Set: 2 - 3 Hours

12 in 1 Set: 2.5 - 3.5 Hours

USAGE TIME

9-17 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F

Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply

Input: 100V-240V 50/60Hz

Output: 4 in 1 Set: DC5V 1A

12 in 1 Set: DC5V 3A

Multiple DC Charge Base

INFRARED REMOTE CONTROL DISTANCE

3 Meters / 9.84 Feet

SIZE

Candle
40mm x 40mm x 50mm
(1.57" x 1.57" x 1.97")

4 in 1 Charging Base
94mm x 94mm x 53mm
(3.70" x 3.70" x 1.69")

12 in 1 Charging Base
272mm x 94mm x 43mm
(10.71" x 3.70" x 1.69")

APPROVALS

CE FC RoHS
Compliant


WARRANTY

1 Year

Charging Fully Charged



Built-in Charging Indicator



Please note that specifications are subject to change without prior notice.

**RGB LED CANDLES
INDUCTION CHARGE**

BelloLite®

A fancy line of rechargeable RGB candles sets available in 4-in-1 and 12-in-1 options.
An easy to use and cost effective RGB rechargeable system with an infrared remote control.



12 in 1 set
BLLI12RGBWHIR
BLLI12RGBALIR



**PLASTIC
WHIR**



**ALUMINIUM
ALIR**



IR Remote RGB



4 in 1 set
BLLI04RGBWHIR
BLLI04RGBALIR

LIGHT SOURCE

1 Pc. Amber Long Life LED
1 Pc RGB LED

LED LIFE

+30000 Hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V/300mAh Rechargeable Battery
+500 Full Charge Cycles

CHARGING TIME

4 in 1 Set: 3 - 4 Hours
12 in 1 Set: 5 - 6 Hours

USAGE TIME

10 - 42 Hours

USAGE TEMPERATURE

Charging: 0°C to 30°C / 32°F - 86°F
Storage: -10°C to 25°C / 14°F - 77°F

CHARGER

Type: Switch-Mode Power Supply

Input: 100V-240V 50/60Hz

Output: 4 in 1 Set: DC5V 1A

12 in 1 Set: DC5V 3A

Multiple Induction Charge Base

INFRARED REMOTE CONTROL DISTANCE

3 Meters / 9.84 Feet

SIZE

Candle

40mm x 40mm x 50mm
(1.57" x 1.57" x 1.97")

4 in 1 Charging Base

94mm x 94mm x 53mm
(3.70" x 3.70" x 1.69")

12 in 1 Charging Base

272mm x 94mm x 43mm
(10.71" x 3.70" x 1.69")

APPROVALS

CE FC RoHS
Compliant

WARRANTY

1 Year



Eco Friendly
Light Weight
Easy to Carry



Auto Switch Off
2H, 4H & 8H



Rechargeable
Battery



Colour Changing
Fusion Setting



Switch between Lamp
& Candle Mode



Candle in 7 colours
including warm white




9 steady colours with
5 brightness levels

Charging Fully Charged



Built-in Charging Indicator



Please note that specifications are subject to change without prior notice.

RECHARGEABLE MOVING FLAME LED CANDLES**4 in 1 set****WHITE****RED****12 in 1 set****LIGHT SOURCE**

1 Pc Amber Long Life LED

LED LIFE

+30000 Hours

BATTERY SPECS

Non-Replaceable Li-ion 3.7V/300mAh

Rechargeable Battery

+500 Full Charge Cycles

CHARGING TIME

4 in 1 Set: 2 - 3 Hours

12 in 1 Set: 2.5 - 3.5 Hours

USAGE TIME

28 Hours

USAGE TEMPERATURE

Charging: 0° C to 30° C / 32° F - 86° F

Storage: -10° C to 25° C / 14° F - 77° F

CHARGER

Type: Switch-Mode Power Supply

Input: 100V-240V 50/60Hz

Output: 4 in 1 Set: DC5V 1A

12 in 1 Set: DC5V 3A

Multiple DC Charge Base

INFRARED REMOTE CONTROL DISTANCE

3 Meters / 9.84 Feet

SIZE**Candle**

37mm x 37mm x 60mm

(1.45" x 1.45" x 2.36")

4 in 1 Charging Base

94mm x 94mm x 53mm

(3.70" x 3.70" x 1.69")


12 in 1 Charging Base

272mm x 94mm x 43mm

(10.71" x 3.70" x 1.69")

APPROVALSCE FC RoHS
Compliant**WARRANTY**

1 Year

**Built-in Charging Indicator**

Please note that specifications are subject to change without prior notice.

CANDLE HOLDERS

BelloLite®



BCG1



BCG2



BCG3



BCG4




BCG5



BCG6



BCG7



BCG8



BCG9



BCG10



BCG11



BCG12



BCG13



BCG14



BCG15



BCG16



BCG17



BCG18



BCG19



BCG20

